Osi, t

Extending from the central portion of 60 is a central curved portion 70, a left curved portion 72, a right curved portion 74 and a bottom curved portion 76. Connecting the top curved portion 70 and the right curved portion 74 is a right upper corner curved portion 78. Connecting the right curved portion 74 and the bottom curved portion 76 is a lower right corner portion 80. Connecting the left curved portion 72 and the bottom curved portion 76 is a left corner curved portion 82. Connecting the top curved portion 70 and the left curved portion 72 is a left upper corner curved portion 84. Curved portion 72 and 74 are symmetrical with respect to one another. Lower curved portion 76 does not extend outwardly from flat central portion 62 as do the rest of the curved portions. As previously mentioned, preferably the curved portions 70-84 conform closely to the shape of the side panels 30, 32. The exterior surface of the cover panels 50, 60 are flat and the curved portions are all internal to the cover panels 50, 60.--

IN THE CLAIMS

Please amend the claims as follows:

1. (Amended) A kit, comprising:

a pair of cover panels for attachment to opposite side panels of a computer case, each of said cover panels having a plurality of holes and each of the opposite side panels of the computer case having a corresponding plurality of holes; and

a plurality of elastomeric feet each insertable through one of said holes in said cover panel and through the corresponding hole in the side panels of the computer case for retaining each of said pair of cover panels on the opposite side panels of the computer case.

- 2. (Amended) The kit of claim T, wherein each of said cover panels is made of a plastic material.
- 3. (Amended) The kit of claim 1, wherein the holes of the opposite side panels is covered with hole plugs.

4. (Amended) The kit of claim 1 wherein each of the pair of cover panels has an interior surface corresponding in shape to an exterior surface of each of said side panels.

6. (Amended) The kit of claim 1, wherein each of said feet has a cover portion and a pair of legs extending from said cover portion and a shoulder portion at a distal end of said legs such that when said legs are inserted into said plurality of cover panel holes and said plurality of side panel holes, said legs flex inwardly and said shoulder portions are brought into engagement with an interior surface of the side panel.

8. (Amended) A method, not requiring technical skill, of installing a color panel on a computer case, the color panel having a plurality of holes, the computer case having at least one side panel, the at least one side panel having a plurality of holes corresponding in location to the plurality of holes in the color panel, comprising:

inserting a plurality of elastomeric feet each through one of the holes in the color panel and through the corresponding hole in the at least one side panel to secure the color panel on the computer case.

9. (Amended) The method of claim 8, comprising removing hole plugs from the plurality of holes in the at least one side panel.

10. (Amended) The method of claim 8, wherein each of said feet has a cover portion and a pair of legs extending from said cover portion and a shoulder portion at a distal end of said legs such that when said legs are inserted into said plurality of cover panel holes and said plurality of side panel holes, said legs flex inwardly and said shoulder portions are brought into engagement with an interior surface of the side panel.

11. (Amended) A computer case, comprising: opposite side panels each having a plurality of holes;

a pair of cover panels for attachment to said opposite side panels, each of said cover panels having a corresponding plurality of holes;

Ogn'x

a plurality of elastomeric feet each insertable through one of said holes in said cover panel and through the corresponding hole in the side panels of the computer case for retaining each of said pair of cover panels on the opposite side panels of the computer case.

With

12. (Amended) The computer case of claim 11, wherein each of said cover panels is made of a plastic material.

By h

16. (Amended) The computer case of claim 11, wherein each of said feet has a cover portion and a pair of legs extending from said cover portion and a shoulder portion at a distal end of said legs such that when said legs are inserted into said plurality of cover panel holes and said plurality of side panel holes, said legs flex inwardly and said shoulder portions are brought into engagement with an interior surface of the side panel.